



ZHEJIANG STEEL TRADING CO.,LIMITED



CONTACT US



ZHEJIANG STEEL TRADING CO.,LIMITED


Tel: +86 18267044677

Tel: +86 18657945122

E-mail: ellenzhang@zhejiangsteel.cn E-mail: houlou@zhejiangsteel.cn

Website: <https://www.zhejiangsteel.com/>

Add: ROOM1008, MANSION NO.1 WUYUE YIWU ZHEJING CHINA



PRODUCT PARAMETERS

Black Round Pipe · Galvanized Round Pipe

Standard:	ASTM A53, BS1387,ISO65, EN10219,JIS,Q195,Q235
Size:	From 1/2" to 20"
Thickness:	0.3-20mm



Black Square Pipe · Galvanized Square Pipe

Standard:	ASTM A500,GB/T13793-1992,EN10219,JIS, Q195,Q235
Width:	From 10*10mm to 400*400mm
Thickness:	0.3-20mm



Galvanized Coils · Prepainted Coils/PPGI Coils

Standard:	SPCC, SGCC, SGCD FULL HARD, DX51D, Q195,Q235
Width:	700-1500MM
Thickness:	0.3-20mm



Galvanized Corrugated Steel Sheet · Prepainted Corrugated Steel Sheet

Standard:	SPCC, SGCC, SGCD FULL HARD, DX51D, Q19,Q235
Width:	700-1500MM
Thickness:	0.3-20mm



Galvanized strip

Standard:	SPCC, SGCC, SGCD FULL HARD, DX51D, Q195,Q235
Width:	35-2500MM
Thickness:	0.3-20mm



Galvanized steel sheet · Tear sheets · Cold rolled steel sheet · Hot rolled steel sheet

Standard:	SPCC,SGCC,SGCD FULL HARD,Q195,Q235,Q345,ST37,ST52
Width:	700-2000MM
Thickness:	0.3-20mm



Flat bar · Angle bar · Galvanized round bar

Standard:	S235JR,S275JR,S355JR,Q195,Q235,Q345
Width:	15-200MM
Thickness:	0.3-20mm



Wire rod

Standard:	SAE1006/1008/1010/Q195/Q235
Width:	4-40MM



Deformed bar

Standard:	HRB335,HRB400,HRB600,Q195,Q235
Width:	4-50MM



COMPANY PROFILE

ZHEJIANG STEEL TRADING CO.,LIMITED was established in 2010.Located in Zhejiang,where focus so many construction Steel product.The annual output is 500000 tons.We are professional in manufacturing and exporting Steel products,including GI Pipe, Hollow section,ERW Steel pipe,Coils,Sheet,Angle bar ,Flat bar,Wire Rod,Deformed Bar,JPE,UPE,H-BEAM, PPGI, GI, HRC, CRC, and others.


Products are widely used in construction field such as vegetables greenhouses,threading pipe ,steel liner tube in family decorate ,construction steel structure ,ship machinery,container,steel-wood furniture,bridge structure and so on.

Most of the products for export to South America, Africa, Middle East, Southeast Asia and other regions. The quality is appreciated by all clients.

We are willing to
learn more and keep
on going far.Thanks



Galvanized Round Pipe



Standard: ASTM A53, BS1397, ISO65, EN10219, JIS, Q195, Q235
 Size: From 1/2" to 20"
 Thickness: 0.3-20mm

Galvanized strip




Tear sheets



Standard: SPCC, SGCC, SGCD FULL HARD, DX51D, Q195, Q235
 Width: 35-2500MM
 Thickness: 0.3-20mm

ZHEJIANG STEEL TRADING CO.,LIMITED

Black Square Pipe




Standard: ASTM A500,GB/T13793-1992,EN10219,JIS, Q195, Q235
Width: From 10*10mm to 400*400mm
Thickness: 0.3-20mm

Website: <https://www.zhejiangsteel.com/>


ZHEJIANG STEEL TRADING CO.,LIMITED

Galvanized Square



E-mail: hou@zhejiangsteel.cn

Prepainted Coils/PPGI Coils



Standard: SPCC, SGCC, SGCD FULL HARD, DX51D, Q195, Q235
 Width: 700-1500MM
 Thickness: 0.3-20mm

Black Round Pipe




Outside diameter	Wall thickness	Unit weight(kg/m)	Outside diameter	Wall thickness	Unit weight(kg/m)
21.7	2.0	0.972	101.6	4.0	9.63
27.2	2.0	1.24		5.0	11.9
	2.3	1.41		3.2	8.77
34	2.3	1.80	114.3	3.5	9.56
42.7	2.3	2.29		4.5	12.2
	2.5	2.48		3.6	12.1
	2.3	2.63	139.8	4.0	13.4
48.6	2.5	2.84		4.5	15.0
	2.8	3.16		6.0	19.8
	3.2	3.58		4.5	17.8
	2.3	3.30	165.2	5.0	19.8
60.5	3.2	4.52		6.0	23.6
	4.0	5.57		7.1	27.7
	2.8	5.08		4.5	20.7
76.3	3.2	5.77		5.3	24.2
	4.0	7.13	190.7	6.0	27.3
	2.8	5.96		7.0	31.7
89.1	3.2	6.78		8.2	36.9
101.6	3.2	7.76			

Standard: STM A53, BS1387, ISO65, EN10219, JIS, Q195, Q235
 Size: From 1/2" to 20"
 Thickness: 0.3-20mm

ZHEJIANG STEEL TRADING CO.,LIMITED

Corrugated Steel Sheet






Standard: SPCC, SGCC, SGCD FULL HARD, DX51D, Q19, Q235
Width: 700-1500MM
Thickness: 0.11-1.5mm

Website: <https://www.zhejiangsteel.com/>



ZHEJIANG STEEL TRADING CO.,LIMITED

Prepainted Corrugated Steel Sheet




E-mail: hou@zhejiangsteel.cn


Cold rolled steel sheet



Hot rolled steel sheet




Flat bar



Standard: SPCC,SGCC,SGCD FULL HARD,Q195,Q235,Q345,ST37,ST52
Width: 700-2000MM
Thickness: 0.3-20mm


Galvanized Coils



Standard: SPCC, SGCC, SGCD FULL HARD, DX51D, Q195, Q235
Width: 700-1500MM
Thickness: 0.3-20mm

Beams



H Beams



Specifications	Designation	Unit Weight (kg/m)	Specifications	Designation	Unit Weight (kg/m)
		KG			KG
10#	100*58*4.5	11.3	32#B	320*132*11.5	57.7
12#	120*74*5.0	14	32#C	320*134*13.5	62.7
14#	140*90*5.5	16.9	36#A	360*136*10	60
16#	160*98*6.0	20.5	36#B	360*138*12	65.7
18#	180*94*6.5	24.1	36#C	360*140*14	71.3
20#A	200*100*7	27.9	40#A	400*142*10.5	67.6
20#B	200*102*9	31.1	40#B	400*144*12.5	73.8
22#A	220*110*7.5	33.1	40#C	400*146*14.5	80.1
22#B	220*112*9.5	36.5	45#A	450*150*11.5	80.4
24#A	240*116*8	37.5	45#B	450*152*13.5	87.4
24#B	240*118*10	41.2	45#C	450*154*15.5	94.5
25#A	250*116*8	38.1	50#A	500*158*12	93.6
25#B	250*118*10	42	50#B	500*160*14	101
27#A	270*122*8.5	42.8	50#C	500*162*16	109
27#B	270*124*10.5	47	56#A	560*166*12.5	106
28#A	280*122*8.5	43.5	56#B	560*168*14.5	115
28#B	280*124*10.5	47.9	56#C	560*170*16.5	124
30#A	300*126*9	48.1	63#A	630*176*13	121
30#B	300*128*11	52.8	63#B	630*178*15	131
30#C	300*130*13	57.5	63#C	630*180*17	141
32#A	320*130*9.5	52.7			

Designation Bezeichnung	Unit Weight (kg/m)	Dimensions Abmessungen (mm)					
(imperial)	G	H	B	tw	tf	r	
UPN 50*	5.59	50	38	5.0	7.0	7.0	
UPN 65*	7.09	65	42	5.5	7.5	7.5	
UPN 80*	8.64	80	45	6.0	8.0	8.0	
UPN 100*	10.6	100	50	6.0	8.5	8.5	
UPN 120*	13.4	120	55	7.0	9.0	9.0	
UPN 140*	16.0	140	60	7.0	10.0	10.0	
UPN 160*	18.8	160	65	7.5	10.5	10.5	
UPN 180*	22.0	180	70	8.0	11.0	11.0	
UPN 200*	25.3	200	75	8.5	11.5	11.5	
UPN 220*	29.4	220	80	9.0	12.5	12.5	
UPN 240*	33.2	240	85	9.5	13.0	13.0	
UPN 260*	37.9	260	90	10.0	14.0	14.0	
UPN 280*	41.8	280	95	10.0	15.0	15.0	
UPN 300*	46.2	300	100	10.0	16.0	16.0	
UPN 320*	59.5	320	100	14.0	17.5	17.5	
UPN 350*	60.6	350	100	14.0	16.0	16.0	
UPN 380*	63.1	380	102	13.5	16.0	16.0	
UPN 400*	71.8	400	110	14.0	18.0	18.0	

U channel



Standard: S235JR, S275JR, S355JR, Q195, Q235, Q345
Width: 15-200MM
Thickness: 0.3-20mm

Angle bar



Galvanized round bar



Wire rod

Deformed bar



Standard: SAE1006/1008/1010/Q195/Q235
Width: 4-40MM
Standard: HRB335, HRB400, HRB600, Q195, Q235
Width: 4-50MM